Certificate of Analysis

ILS Laboratories
8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

TB-500 + BPC-157 - 10mg

PASS

Tested for: OneDay Compounds
2326 Washington Blvd, Fourth Floor, Ogden, UT 84403

COA #:	**COA-2026-4U14MK**	Method:	**Expanded QC Panel**
Lot Number:	**OC-WLV10-101**	Analysis Date:	**04/25/2026**
Accession #:	**ACC-2026-1130**	Appearance:	**Good**
Concentration:	**10mg**	Volume:	**3mL**
Sample Matrix:	**Powder**	Received:	**04/22/2026**

Scan to verify authenticity at ils-lab.com

Identity	Purity
TB-500 + BPC-157	**99.78%**

TB-500 + BPC-157 10mg - OC-WLV10-101

Blend Purity & Quant (HPLC)

Analyte	Specification	Result	Unit	Status
Purity (HPLC)	>= 95.0%	**99.78%**	%	**PASS**
Net Blend Peptide Content	Report Only	**10.72**	mg	N/A
-- TB-500 (50%)		*5.36*	*mg*	
-- BPC-157 (50%)		*5.36*	*mg*	
Identity (ID)	TB-500;BPC-157	**Confirmed**	-	**PASS**

HPLC Chromatogram



Representative chromatogram, Dedicated V0 (99.76% purity, closest to batch mean of 99.70%)

Dr. Greg Kalyuzhny
Lab Director
5/8/2026

COA #: **COA-2026-4U14MK**
Access Code: **HL33DHEC**
Verify: portal.ils-lab.com/verify/WxZ6vuYQ-77VEmLF
Issued: 5/8/2026

ILS Laboratories | 8222 Vickers St, Suite 106, San Diego, CA 92111 | (619) 329-3999 | ils-lab.com
ISO/IEC 17025 Accredited | This certificate relates only to the items tested. Results shall not be reproduced except in full without written approval.

Certificate of Analysis

ILS Laboratories
8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

TB-500 + BPC-157 - 10mg

PASS

Tested for: OneDay Compounds
2326 Washington Blvd, Fourth Floor, Ogden, UT 84403

COA #:	**COA-2026-4U14MK**	Method:	**Expanded QC Panel**
Lot Number:	**OC-WLV10-101**	Analysis Date:	**04/25/2026**
Accession #:	**ACC-2026-1130**	Appearance:	**Good**
Concentration:	**10mg**	Volume:	**3mL**
Sample Matrix:	**Powder**	Received:	**04/22/2026**

Scan to verify authenticity at ils-lab.com

HPLC Conformity Testing Results (3 samples tested)

Sample	Purity	NPC	ID	Result
Dedicated V0	99.76%	10.57 mg	Confirmed	**PASS**
Conformity V1	99.56%	10.53 mg	Confirmed	**PASS**
Conformity V2	99.78%	10.72 mg	Confirmed	**PASS**
Mean	**99.70%**	**10.61 mg**	—	—
Std Dev	**0.0993%**	**0.0818 mg**	—	—

Heavy Metals Analysis (ICP-MS)

Test	Specification	Result	Status
Arsenic (As)	NMT 1.5 ppm	*Not Detected*	**PASS**
Cadmium (Cd)	NMT 0.5 ppm	*Not Detected*	**PASS**
Chromium (Cr)	NMT 10 ppm	*Not Detected*	**PASS**
Mercury (Hg)	NMT 1.5 ppm	*Not Detected*	**PASS**
Lead (Pb)	NMT 1 ppm	*Not Detected*	**PASS**

Sterility Testing (USP <71>)

Sample	TSB (Tryptic Soy Broth)	FTM (Fluid Thioglycollate)	Status
Sterility Culture V3	No Growth	No Growth	**PASS**
Sterility Culture V4	No Growth	No Growth	**PASS**
Sterility Culture V5	No Growth	No Growth	**PASS**

Dr. Greg Kalyuzhny
Lab Director
5/8/2026

COA #: **COA-2026-4U14MK**
Access Code: **HL33DHEC**
Verify: portal.ils-lab.com/verify/WxZ6vuYQ-77VEmLF
Issued: 5/8/2026

ILS Laboratories | 8222 Vickers St, Suite 106, San Diego, CA 92111 | (619) 329-3999 | ils-lab.com
ISO/IEC 17025 Accredited | This certificate relates only to the items tested. Results shall not be reproduced except in full without written approval.

Certificate of Analysis

ILS Laboratories
8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

TB-500 + BPC-157 - 10mg

PASS

Tested for: OneDay Compounds
2326 Washington Blvd, Fourth Floor, Ogden, UT 84403

COA #:	**COA-2026-4U14MK**	Method:	**Expanded QC Panel**
Lot Number:	**OC-WLV10-101**	Analysis Date:	**04/25/2026**
Accession #:	**ACC-2026-1130**	Appearance:	**Good**
Concentration:	**10mg**	Volume:	**3mL**
Sample Matrix:	**Powder**	Received:	**04/22/2026**

Scan to verify authenticity at ils-lab.com

Endotoxin Testing (USP <85>)

Test	Specification	Result	Unit	Status
Endotoxin (USP <85>)	< 0.25 EU/mL	**NMT 0.05 EU/mL**		**PASS**

Notes & Methodology

1. Date Tested: 04/25/2026. Methods: Blend Purity & Quant (HPLC).
2. The sample was confirmed to be TB-500 + BPC-157 by HPLC. Identification by chromatographic retention time comparison with a reference standard.
3. Elemental impurities analyzed by ICP-MS per USP <233> methodology. Acceptance criteria are internal laboratory quality screening limits for research-use materials and do not represent evaluation against any specific pharmacopeial monograph or route-of-administration standard.
4. Per-component content calculated from total net peptide content using the manufacturer's stated formulation ratio (TB-500 50%, BPC-157 50%). All components confirmed present by HPLC identity testing.
5. Chromatogram shown is representative: Dedicated V0 (99.76% purity, closest to batch mean of 99.70%).

Dr. Greg Kalyuzhny
Lab Director
5/8/2026

COA #: **COA-2026-4U14MK**
Access Code: **HL33DHEC**
Verify: portal.ils-lab.com/verify/WxZ6vuYQ-77VEmLF
Issued: 5/8/2026

ILS Laboratories | 8222 Vickers St, Suite 106, San Diego, CA 92111 | (619) 329-3999 | ils-lab.com
ISO/IEC 17025 Accredited | This certificate relates only to the items tested. Results shall not be reproduced except in full without written approval.